

System Administrators,

- Do not apply the same fix twice. Always check the program to be sure that you need the change.
- Check the Creation-Date on your latest diskette. Based on that date, only apply the fixes that have been prepared since then.
- The Delta Symbol represents spaces when they are critical: **ΔΔΔ**.
- Zeroes have a dot in the center as follows: **000000**.

TECH NOTE # 1121, 10/07/04 LOW-priority.
DESCRIPTION: WINDOWS USER ONLY
FILE RECORD LOCKED message due to print token S55 and temp file name case.

TO CHECK: >LOAD "CAS0735P" ; LIST 4942

BEFORE:

```
04942 IF X4$<>"S55" THEN GOTO 04950 ELSE CLOSE (27) ; ERASE "TP"+FID(0)+"S",  
04942: ERR=04943
```

Do this fix if that line contains: ERASE "TP"+FID(0)+"S",

```
>EDIT 4942 C [0]+"] R [5]
```

```
>EDIT 4943 C [0]+"] R [5]
```

```
>SAVE
```

AFTER:

```
04942 IF X4$<>"S55" THEN GOTO 04950 ELSE CLOSE (27) ; ERASE "TP"+FID(0)+"5",  
04942: ERR=04943
```

```
04943 DIRECT "TP"+FID(0)+"5", 39, 0, 80, 1, 0; OPEN (27) "TP"+FID(0)+"5"
```

TECH NOTE # 1122, 10/07/04 LOW-priority.
DESCRIPTION: SYNTAX ERROR IN PROGRAM CODE: Make Metro File

TO CHECK: >LOAD "CAWMETR2" ; LIST 2352

BEFORE:

```
02352 EDITRR=11 THEN GOTO 2392 ELSE GOTO 24464
```

Do this fix if the line reads as above.

```
>EDIT 2352 C [ ] D [=] [IF ERR=]
```

```
>SAVE
```

TECH NOTE # 1123, 10/12/04 LOW-priority.

DESCRIPTION: PRINTING SPECIFIC CLIENT STATEMENT/REMIT FROM WAREHOUSE.

Job reads entire file. When specific client is first in file, prints down a line.

TO CHECK: >LOAD "CAWRPTWV" ; LIST 5020

BEFORE:

```
05020 GOSUB 05050; IF EOF$="EOF" THEN GOTO 05040 ELSE IF (POS(": "+SCLN$=PRO$)>0
OR POS("- "+SCLN$=PRO$)>0) THEN GOTO 05030 ELSE IF MULT$="Y" THEN IF (POS("CLIE
NT : "=PRO$)>0 OR POS("CLIENT -"=PRO$)>0) THEN IF (POS(": "+SCLN$=PRO$)=0 AND POS
("- "+SCLN$=PRO$)=0) THEN GOTO 05040
```

Do this fix if the line contains: (POS("CLIENT : "=PRO\$)>0

```
>EDIT 5020 C ["Y"] C [CLIENT] D [Δ]
```

```
>EDIT 5120 C ["Y"] C [CLIENT] D [Δ]
```

```
>5057 LINES=LINES+1
```

```
>EDIT 5030 R [05031]
```

```
>EDIT 5030 C [Δ] [IF LINES=>20 ]
```

```
>EDIT 5031 C [Δ] [IF LINES<20 ]
```

```
>SAVE
```

AFTER:

```
05020 GOSUB 05050; IF EOF$="EOF" THEN GOTO 05040 ELSE IF (POS(": "+SCLN$=PRO
05020: $)>0 OR POS("- "+SCLN$=PRO$)>0) THEN GOTO 05030 ELSE IF MULT$="Y" THEN
05020: IF (POS("CLIENT: "=PRO$)>0 OR POS("CLIENT -"=PRO$)>0) THEN IF (POS(":
05020: "+SCLN$=PRO$)=0 AND POS("- "+SCLN$=PRO$)=0) THEN GOTO 05040
05030 IF LINES>=20 THEN LET SKIP1$=PR1$; LET SKIP2$=PR2$; PRINT (4) PR3$; PR
05030: INT (4) PR4$; PRINT (4) PR5$; PRINT (4) PR6$; PRINT (4) PR7$; PRINT (4
05030:) PR8$; PRINT (4) PR9$; PRINT (4) PR10$; PRINT (4) PR11$; PRINT (4) PR
05030: 12$; PRINT (4) PRO$
05031 IF LINES<20 THEN LET SKIP1$=PR1$; LET SKIP2$=PR2$; PRINT (4) PR3$; PRI
05031: NT (4) PR4$; PRINT (4) PR5$; PRINT (4) PR6$; PRINT (4) PR7$; PRINT (4)
05031: PR8$; PRINT (4) PR9$; PRINT (4) PR10$; PRINT (4) PR11$; PRINT (4) PR1
05031: 2$; PRINT (4) PRO$
05057 LET LINES=LINES+1
05120 GOSUB 05050; IF EOF$="EOF" THEN GOTO 05140 ELSE IF (POS(": "+SCLN$=PRO
05120: $)>0 OR POS("- "+SCLN$=PRO$)>0) THEN GOTO 05130 ELSE IF MULT$="Y" THEN
05120: IF (POS("CLIENT: "=PRO$)>0 OR POS("CLIENT -"=PRO$)>0) THEN IF (POS(":
05120: "+SCLN$=PRO$)=0 AND POS("- "+SCLN$=PRO$)=0) THEN GOTO 05140
```

TECH NOTE # 1124, 10/18/04 IOW-priority.
DESCRIPTION: ERROR 12 LINE 320 CAZUPORT
ERROR 12 CAZIPOINT

TO CHECK: >LOAD "CAZIPOINT" ; LIST 20

BEFORE:

00020 REM "PROGRAM TSZIPOINT"

Do this fix if that line shows: TSZ

From the Thoroughbred Utility menu run #17 STRING SEARCH AND REPLACE

DISC NAME OR NUMBER: 0

ENTER FILE NAME OR MASK; @ FOR ALL, (CR) TO END

(hit enter)

CAZIPOINT CAZUPORT (hit enter)

CTL1 TO SEARCH ONLY, CTL2 TO REPLACE:

F2

VERIFY (Y/N)

N

HARDOPY (Y/N)

N

START LINE

(hit enter)

END LINE

(hit enter)

SEARCH FOR:

TST

REPLACE WITH:

CAS

SEARCH FOR:

TSX

REPLACE WITH:

CAX

SEARCH FOR:

TSZ

REPLACE WITH:

CAZ

SEARCH FOR:

TSW

REPLACE WITH:

CAW

SEARCH FOR:

TSY

REPLACE WITH:

CAY

SEARCH FOR:

TF

REPLACE WITH:

CF

SEARCH FOR:

(hit enter)

At this point the job runs. When Finished you are placed back at:

DISC NAME OR NUMBER: F4

From the Thoroughbred Utility Menu hit F4

RUN "CASMENU"

TECH NOTE # 1125, 10/20/04 HIGH-priority.

DESCRIPTION: Daily Refiling pre-maturely stops after transferring a Master with no sub-accounts.

TO CHECK: >LOAD "CAWXFERM" ; LIST 2018

BEFORE:

02018 GOTO 01100

Do this fix if the line reads as above.

>2018 GOTO 210

>SAVE

TECH NOTE # 1126, 10/23/04 Low-priority.

DESCRIPTION: Collector Lock-Out controls not working properly. User-Account is changed to password. Collector prompted to enter his only unit when signing in.

TO CHECK: >LOAD "CAZMENU" ; LIST 530

BEFORE:

```
00530 CLOSE (4) ; IF LEN(Z8$)=4 THEN LET V9$=Z8$(2); GOTO 00550; REM --one n
00530:umber collector
```

```
00655 IF N7$(120,1)="M" THEN IF Z8$="" THEN GOTO 00657 ELSE GOTO 00659
```

```
00656 IF N7$(120,1)="C" AND Z8$<>"" THEN GOTO 00657 ELSE GOTO 00659
```

Do this fix if the line reads as above.

```
>530 CLOSE (4); IF LEN(Z8$)=4 THEN V9$=Z8$(2); GOTO 550 ELSE IF LEN(Z8$)>7 THEN
IF Z8$(6,3)="△△△" AND Z8$(2,3)<>"△△△" LEN V9$=Z8$(2,3); GOTO 550
```

```
>619 IF LEN(Z8$)>0 THEN IF Z8$(1,1)="△" Z8$=""
```

```
>655 IF N7$(120,1)="M" AND Z7$="C" GOTO 00657 ELSE IF N7$(120,1)="C" AND Z8$=""
GOTO 00659
```

```
>656 IF N7$(120,1)="C" IF USERCLEV$>=N7$(121,1) GOTO 657 ELSE GOTO 659 ELSE ESCA
PE
```

>SAVE

AFTER:

```
00530 CLOSE (4) ; IF LEN(Z8$)=4 THEN LET V9$=Z8$(2); GOTO 00550 ELSE IF LEN(
00530:Z8$)>7 THEN IF Z8$(6,3)=" " AND Z8$(2,3)<>" " THEN LET V9$=Z8$(2,3
00530:); GOTO 00550
```

```
00619 IF LEN(Z8$)>0 THEN IF Z8$(1,1)=" " THEN LET Z8$=""
```

```
00655 IF N7$(120,1)="M" AND Z7$="C" THEN GOTO 00657 ELSE IF N7$(120,1)="C" A
00655:ND Z8$="" THEN GOTO 00659
```

```
00656 IF N7$(120,1)="C" THEN IF USERCLEV$>=N7$(121,1) THEN GOTO 00657 ELSE G
00656:OTO 00659 ELSE ESCAPE
```

LOAD "CAWUACCT" ; LIST 7472

BEFORE:

```
07472 LET UA$=TABX$(1,8)
```

Do this fix if the line reads as above.

```
>7472 REM
```

SAVE

LOAD "CAS0360P" ; LIST 3440

BEFORE:

```
03440 READ (8) Z9$,Z8$,R4$,R5$; CLOSE (8)
```

Do this fix if the line reads as above.

```
>EDIT 3440 C [R5$] [,RINIT$,RLEV$]
```

```
>3442 IF LEN(R5$)>80 THEN IF R5$(1,80)=SPA$ R5$=""
```

```
>EDIT 3462 C [CLOSE (4)] C [CLOSE (4) ;] [REM ]
```

```
>3463 IF LEN(N7$)<119 N7$=N7$+" "; GOTO 3463 ELSE IF N7$(119,1)<>"Y" GOTO 3470 E
LSE IF N7$(120,1)="M" AND R4$="C" GOTO 3465 ELSE IF R4$="C" AND R5$="" GOTO 3590
```

```
>3464 IF N7$(120,1)="C" IF RLEV$>=N7$(121,1) GOTO 3465 ELSE GOTO 3470 ELSE ESCAPE
```

```
>3472 IF R4$="C" AND R5$="" GOTO 3590
```

TECH NOTE # 1127, 10/27/04 MED-priority.
 DESCRIPTION: Sub-Accounts are are put into follow-up when Master is transfered .
 TO CHECK: >LOAD "CAWXFERD" ; LIST 745
 BEFORE:
 00745 IF Y4\$="CAX0325P" THEN GOTO 00760; REM -- bypass subaccounts
 Do this fix if that line reads as above
 >EDIT 745 C [""] R [CAWXFERM]
 >EDIT 1046 C [""] R [CAWXFERM]
 >SAVE
 AFTER:
 00745 IF Y4\$="CAWXFERM" THEN GOTO 00760; REM -- bypass subaccounts
 01046 IF Y4\$="CAWXFERM" THEN GOTO 01070

TECH NOTE # 1128, 10/27/04 LOW-priority.
 DESCRIPTION: Letter History Reports doen't show all entries in the total.
 TO CHECK: >LOAD "CAZ2000P" ; LIST 2782
 BEFORE:
 02782 LET X0\$=X0\$(1,QQ-1)+X0\$(QQ+9); GOTO 02744
 Do this fix if that line reads: GOTO 02744
 >EDIT 2782 C [GOTO 027] R [74]
 >SAVE
 AFTER:
 02782 LET X0\$=X0\$(1,QQ-1)+X0\$(QQ+9); GOTO 02774

TECH NOTE # 1129, 10/28/04 LOW-priority.
 DESCRIPTION: ERR 46 LINE 7154 CAWCBMOD Doing a menu jump.
 TO CHECK: >LOAD "CAWCBMOD" ; LIST 7154
 BEFORE:
 07154 SETERR 02525; CALL "CAXLOKUP",LID\$,XNAME\$,CHAN,WINT\$,WWID,WCOL,WROW,IN
 07154: COD\$,OUTCOD\$,RKEYL,KIDC\$,KIDS,KIDL,DK1S,DK1L,DK2S,DK2L,DDF1N,DDF1S,DDF
 07154: 1L,DDF2N,DDF2S,DDF2L,DDF3N,DDF3S,DDF3L; SETERR 24464; IF OUTCOD\$="" TH
 07154: EN GOTO 05740 ELSE IF (POS("SOUTHERN TIER"=AGN\$)>0 AND AO\$="" AND OUTC
 07154: OD\$<>"001") THEN GOTO 05740 ELSE IF OUTCOD\$="091" THEN LET T7\$="C"; GO
 07154: TO 05720 ELSE IF OUTCOD\$="092" THEN LET T7\$="C"; GOTO 05714 ELSE CLOSE
 07154: (7) ; OPEN (7) "TP"+FID(0)+"M"; READ (7,KEY=OUTCOD\$) TABX\$
 Do this fix if that line reads: READ (7,KEY=OUTCOD\$)
 >EDIT 7154 C [READ (7,KEY=OUTCOD\$) [,ERR=5740]
 >SAVE
 AFTER:
 07154 SETERR 02525; CALL "CAXLOKUP",LID\$,XNAME\$,CHAN,WINT\$,WWID,WCOL,WROW,IN
 07154: COD\$,OUTCOD\$,RKEYL,KIDC\$,KIDS,KIDL,DK1S,DK1L,DK2S,DK2L,DDF1N,DDF1S,DDF
 07154: 1L,DDF2N,DDF2S,DDF2L,DDF3N,DDF3S,DDF3L; SETERR 24464; IF OUTCOD\$="" TH
 07154: EN GOTO 05740 ELSE IF (POS("SOUTHERN TIER"=AGN\$)>0 AND AO\$="" AND OUTC
 07154: OD\$<>"001") THEN GOTO 05740 ELSE IF OUTCOD\$="091" THEN LET T7\$="C"; GO
 07154: TO 05720 ELSE IF OUTCOD\$="092" THEN LET T7\$="C"; GOTO 05714 ELSE CLOSE
 07154: (7) ; OPEN (7) "TP"+FID(0)+"M"; READ (7,KEY=OUTCOD\$,ERR=05740) TABX\$