

System Administrators,

- Do not apply the same fix twice. Always check the program to be sure that you need the change.
- Check the Creation-Date on your latest diskette. Based on that date, only apply the fixes that have been prepared since then.
- The Delta Symbol represents spaces when they are critical: **ΔΔΔ**.
- Zeroes have a dot in the center as follows: **000000**.

TECH NOTE # 1154, 07/12/05 **high-priority**.

DESCRIPTION: ERROR PRINTING LETTER - RETURN-TO-CONT.
 Retry-Letter or Skip-Letter
 ERR 14 LINE 6212 CAS0735P

TO CHECK: >LOAD "CAXINTER" ; LIST 99

BEFORE:

00099 CLOSE (1) ; OPEN (1) "CFCONTRO"; READ (1,IND=0) SITENAME\$; CLOSE (1)

Do this fix if the line reads as above.

>EDIT 99 C [(] R [7] C [(] R [7] C [(] R [7] C [(] R [7]

>SAVE

AFTER:

00099 CLOSE (7) ; OPEN (7) "CFCONTRO"; READ (7,IND=0) SITENAME\$; CLOSE (7)

TECH NOTE # 1155, 07/15/05 **low-priority**.

DESCRIPTION: ERR 47 LINE 2179 CAZSMT02

TO CHECK: >LOAD "CAZSMT02" ; LIST 2179

BEFORE:

02179 IF XF2\$(5,1)<>"Y" THEN LET U9\$(91,12)=STR(J3+J-J6: "####,###.00-"), U7\$

Do this fix if the line BEGINS as above.

>EDIT 2179 C [] [IF LEN(J6\$)<81 J6\$=J6\$+" "; GOTO 2179 ELSE]

>SAVE

AFTER:

02179 IF LEN(J6\$)<81 THEN LET J6\$=J6\$+" "; GOTO 02179 ELSE IF XF2\$(5,1)<>"Y"
 02179: THEN LET U9\$(91,12)=STR(J3+J-J6: "####,###.00-"), U7\$(91,12)=STR(J3-J6
 02179: : "####,###.00-"), U9\$(91,12)=STR(NUM(J6\$(72,10))+NUM(J6\$(30,8))-J6: "##
 02179: ##,###.00-") ELSE LET U9\$(91,12)=STR(J3+J: "####,###.00-"), U7\$(91,12)=
 02179: STR(J3: "####,###.00-"), U9\$(91,12)=STR(NUM(J6\$(72,10))+NUM(J6\$(30,8)):
 02179: "####,###.00-"); REM ---4/1/92 show interest in balances based on remi
 02179: t switch 6/05

TECH NOTE # 1156, 07/15/05 **low-priority.**

DESCRIPTION: Stop Predictive Dialer Interface prompts for Timed Accounts

TO CHECK: >LOAD "CAX5100P" ; LIST 2112

BEFORE:

```
02112 IF V4$="Y" OR V4$="Z" OR V4$="X" OR V4$="N" OR V4$="F" OR V4$="T" OR V
02112: 4$="A" THEN GOSUB 05000; RUN "CAX5110P" ELSE IF OBD$="YES" THEN LET OB
02112: DIN$=""; GOSUB 05000; RUN "CAX5110P"
```

Do this fix if that line reads as above.

```
>EDIT 2112 C [OBD$="YES" ] [ AND POS("311"=INP$(9,8)) >0 ]
```

>SAVE

AFTER

```
02112 IF V4$="Y" OR V4$="Z" OR V4$="X" OR V4$="N" OR V4$="F" OR V4$="T" OR V
02112: 4$="A" THEN GOSUB 05000; RUN "CAX5110P" ELSE IF OBD$="YES" AND POS("31
02112: 1"=INP$(9,8))>0 THEN LET OBDIN$=""; GOSUB 05000; RUN "CAX5110P"
```

TECH NOTE # 1157, 07/15/05 **low-priority.**

DESCRIPTION: ERR 1 LINE 6340 PROGRAM "CAX0620P"

TO CHECK: >LOAD "CAX0620P" ; LIST 6012

BEFORE:

```
06012 DIRECT "TP"+FID(0)+"C", 77, 0, 54, 1, 0
```

Do this fix if that line reads as above.

```
>EDIT 6012 C [77, 0, ] R [55]
```

>SAVE

AFTER

```
06012 DIRECT "TP"+FID(0)+"C", 77, 0, 55, 1, 0
```

TECH NOTE # 1158, 07/26/05 **low-priority.**

DESCRIPTION: Attempts and Contacts no updating to the prediction system properly.

TO CHECK: >LOAD "CAX4010R" ; LIST 3662

BEFORE:

```
03662 IF POS($8A$=R9$)=4 THEN IF R9$(1,3)<>" " THEN LET AC$=R9$(1,3); READ
03662: (44,KEY="C"+AC$,ERR=03664) *,*,R$; IF LEN(R$)>13 THEN IF R$(14,1)="T"
03662: THEN LET NUMT=NUMT+1 ELSE IF R$(14,1)="A" THEN LET NUMA=NUMA+1
```

Do this fix if that line reads as above.

```
>EDIT 3662 C [=] C [=] D [4] [26] C [(] D [1] [27] C [(] D [1] [27]
```

```
>SAVE
```

AFTER

```
03662 IF POS($8A$=R9$)=26 THEN IF R9$(27,3)<>" " THEN LET AC$=R9$(27,3); R
03662: EAD (44,KEY="C"+AC$,ERR=03664) *,*,R$; IF LEN(R$)>13 THEN IF R$(14,1)=
03662: "T" THEN LET NUMT=NUMT+1 ELSE IF R$(14,1)="A" THEN LET NUMA=NUMA+1
```

```
>LOAD "CAS0530P"
```

```
>2042 NUMA=0, NUMT=0
```

```
>SAVE
```

```
>LOAD "CAWBCCME"
```

```
>2042 NUMA=0, NUMT=0
```

```
>SAVE
```

```
>LOAD "CAS0760P"
```

```
>2022 NUMA=0, NUMT=0
```

```
>SAVE
```

```
>LOAD "CAWBCCOD"
```

```
>2022 NUMA=0, NUMT=0
```

```
>SAVE
```

TECH NOTE # 1159, 07/29/05 **low-priority.**

DESCRIPTION: Time wrong on Notes Screen.

TO CHECK: >LOAD "CAX5100P" ; LIST 1721

BEFORE:

```
01721 LET ACTE$="", FENTRY$=""; PRINT @(10,0)," ",@(10,0),'LGREEN',T$;
01721: PRINT @(2,23),'CL','LCYAN',@(13,23)," ENTER: HOT-KEY, NOTE-LINE, EN
01721: TER-to-click-in ",; LET R$=""; FINPUT (0,ATR=$05$+CHR(62)+CHR(23)+CHR(
01721: 8)+CHR(8),TIM=T311T,ERR=01721) R$; LET RCTL=CTL; IF R7$="R" THEN GOTO
01721: 01727 ELSE IF R$=">" THEN ESCAPE ELSE LET R=0, R=NUM(R$,ERR=01722), R=
01721: ABS(R), R=INT(R); IF RCTL<>0 THEN GOSUB 08000; IF LEN(INP$)>9 THEN IF
01721: (INP$(9,8)="CAZT311D" OR INP$(9,8)="CAZT311A") AND OBD$<>"" THEN GOTO
01721: 08170 ELSE IF INP$(9,8)="CAWT311M" AND OBD$<>"" THEN GOTO 08190
```

Do this fix if that line reads as above.

```
>EDIT 1721 C [;] [V3=TIM; GOSUB 1930;]
```

```
>SAVE
```